



Catalog 2017/2018



Maviz s.r.o.  
Poštová 1215/12,  
Vráble 952 01,  
Slovakia

Telefón: +421 (0) 908 272 906  
Email: info@maviz.sk  
Web: www.maviz.sk

## Sprayers

for plant protection,  
construction work and  
cleaning industry



Art. 9292460\_0716 - 0123 - subject to technical changes!

Upon publication of this catalog, all previous catalogs lose their validity. No claims may be asserted from the information or illustrations in this catalog. Rights reserved for changes in technology, form, equipment and price.



**Quality**  
**Made in Germany**  
since 1919

## Superior technology – convincing quality What our sprayers characterize

MESTO can look back on a history of more than 90 years of experience in terms of the development and production of portable sprayers, a time span during which we established and further developed our unique expertise in all aspects of spraying.

Thanks to this specialization, we can now confidently set the standard for innovation and performance leadership in our industry. It is our primary concern at MESTO to provide the best sprayers for every feasible application, around the clock, day and night.

MESTO customers can be sure that they have chosen a product with optimum quality and superior technology.

As a family-owned company with our own „Made in Germany“ production facilities, we stand for personal and binding communication, take responsibility for our workplaces in Germany as well as for thorough, customer-oriented service, tailored to your requirements. We are delighted that you value this.

Your

Bernd Stockburger,  
Managing Director MESTO



## MESTO – Sustainability made in Germany

We have been producing in Germany since 1919. By expanding our production and logistics facility in Freiberg am Neckar, we have rededicated ourselves to the firm commitment of manufacturing in Germany in the future as well.

Some 100 employees form the basis for our company's success. They cover the whole value added chain – from the injection moulding of plastic parts through to packing orders for shipment – and with their know-how they ensure our high level of quality and our continuous process of improvement. We maintain our technical advantage by developing and manufacturing much of our assembly equipment and testing systems ourselves.

We provide apprenticeship positions every year because vocational training and further education are very important to us. The steady monitoring of our processes guarantees effective and efficient use of raw materials and resources. We deal with our environment with consideration and responsibility.

As part of the construction of the new building, MESTO will reduce the CO<sub>2</sub> emission for heating and hot water generation processes by 50 %.

Our products can be recycled and thereby returned to the economic cycle. Sustainability at MESTO means business performance while maintaining social and ecological responsibility.



## Pleasant and comprehensible MESTO is convincing with its clear arguments

We are dedicated to our explicit promise that guarantees quality and reliability of our entire range of products.



## Strong on advice, flexible in service Use the MESTO know-how

Our service team in the field and at the head office in Freiberg am Neckar is always on hand to answer all your questions about our product range. If something is missing from our catalog or if you have an idea on a sprayer you would like to discuss with us, please do not hesitate to contact us.

Your feedback is important to us. If you are not entirely satisfied, please let us know so that we can take appropriate action. Therefore, we thank you in advance for your opinion on our products and service and for your call at

**Sprayers for plant protection** page 6ff

Compression sprayers (3 bar / 44 psi) page 8f



Compression sprayers (6 bar / 88 psi) page 10



Backpack sprayers (6 bar) page 11



Garden and household aids page 12



Pressure sprayers up to 1,5 l page 13



**Sprayers for the building and cleaning industry** page 14ff

Compression sprayers (3 bar / 44 psi) page 16




Compression sprayers (6 bar / 88 psi) page 17



Suction devices (- 0.7 bar) Pressurized water tanks (6 bar/88 psi) page 20



Compression sprayers (3 bar / 44 psi) Foamer page 21



Trigger sprayers & Compression sprayers page 22f



Foamer Special compression sprayers (6 bar / 88 psi) page 24f



**Accessories / Nozzles / Spare Parts** page 26ff

Accessories page 27ff



Spare Parts page 31ff



Nozzles page 33f



Service page 37ff

Point of sale & Spray Know-How page 37

Brand communication page 39f

Application guide for plant protection sprayers page 40f

Application guide for industrial sprayers page 42f

For home & garden and professional use – with MESTO plants keep growing

Typically MESTO: Always one step ahead



**NEW!**




Ergonomics meets functionality



Large fine filter to avoid the nozzle from clogging

The safety latch prevents unintentional spraying

The ergonomic form ensures work without effort



Convenient adjustment of nozzle for precise and comfortable spraying

MESTO hose attachment – for quick and easy assembly  
The new ideas for convenient and safe hose attachment:

The respect for nature and the love of beautiful and healthy plants – these are good reasons to use a MESTO sprayer. All products are specially developed for modern plant protection with the guarantee that liquids are sprayed efficiently and economically. Through high-class materials and technically advanced processes, our sprayers have become longlasting, high quality products – also ideal for professional applications. From the trigger sprayer for domestic use to the professional backpack model – MESTO offers a full spectrum clearly structured, easy to comprehend and tailored to the specific needs for various areas of application.



**3230R/3232R:**  
Simple access, excellent grip of the nut and optimized screw thread make it easy to attach the hose



**3232/3232U:**  
With the unique MESTO telescopic nut, attaching the hose is child's play. It fits perfectly when inserted.

\* Photo shows standard equipment for 3238, 3275, 3270

# Compression sprayers (3 bar /44 psi)


Plant protection, weed control,  
flower care, liquid fertilizing



3270



Ergonomically formed shut-off valve with filter



Spiral hose



Spray wand and extension wand



Display pallet  
FLORI COMPACT 3230D



Display pallet  
PICO 3232D

You will find accessories, e.g. extension wands, spray shields from page 26ff.



	FLORI COMPACT	FLORI	PICO	HERBI	VERIS	MAXIMA	PROFI
<b>Order Number</b>	3230R	3232R	3232	3232U	3237	3238	3275
<b>Filling contents</b>	3.0 l	5.0 l	5.0 l	5.0 l	5.0 l	5.0 l	10.0 l
<b>Total contents</b>	4.2 l	6.5 l	6.5 l	6.5 l	7.0 l	7.5 l	12.5 l
<b>Operating pressure</b>	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)
<b>Tare weight</b>	1.3 kg	1.7 kg	1.8 kg	1.9 kg	1.6 kg	2.4 kg	3.0 kg
<b>Tank</b>	plastic	plastic	plastic	plastic	plastic	plastic	plastic
<b>Carried at the side</b>	x	x	x	x	x	x	x
<b>Carried on the back, padded carrying straps</b>	-	-	-	-	-	optional 7121M	optional 7121M
<b>Seals</b>							
<b>Nozzle</b>		Hollow cone, brass, 1.1 mm			Hollow cone, brass, 1.1 mm		Hollow cone, brass, 1.1 mm
<b>Spray wand 360° rotatable,</b>	<b>NEW!</b> plastic 37 cm	<b>NEW!</b> plastic 50 cm	<b>NEW!</b> brass 40 cm	<b>NEW!</b> plastic 50 cm	<b>NEW!</b> extendable 52 - 90 cm	<b>NEW!</b> brass 40 cm	<b>NEW!</b> brass 50 cm
<b>Extension wand</b>	optional up to 85 cm	optional up to 100 cm	optional up to 90 cm	optional up to 100 cm	optional up to 140 cm	incl. brass 40 cm	incl. brass 50 cm
<b>Hose</b>	130 cm	130 cm	130 cm	130 cm	130 cm	spiral hose 250 cm	spiral hose 250 cm with protected hose coupling
<b>Piston pressure gauge with installed safety valve</b>	x	x	x	x	x	x	exchangeable
<b>Shut-off valve with filter</b>	<b>NEW!</b> ergonomically formed	<b>NEW!</b> ergonomically formed	<b>NEW!</b> ergonomically formed	<b>NEW!</b> ergonomically formed	<b>NEW!</b> ergonomically formed	<b>NEW!</b> ergonomically formed with large fine filter	<b>NEW!</b> ergonomically formed with large fine filter
<b>Extra large filling opening</b>	integrated	integrated	integrated	integrated	integrated	separate	integrated
<b>High Stability</b>	with foot ring	with foot ring	with foot ring	with foot ring	with foot ring	with foot ring	with foot ring
<b>Spray and extension wand bracket</b>	x	x	x	x	x	x	x
<b>Spray shield</b>	optional 3916	optional 3916	optional 3916	x	optional 3916	3916, 3914D	optional 3916, 3914D
<b>Large air cushion</b>	-	-	-	-	x	x	x
<b>Pump</b>	plastic, Ø 38 mm	plastic, Ø 38 mm	plastic, Ø 38 mm	plastic, Ø 38 mm	plastic, Ø 38 mm	plastic, Ø 38 mm	plastic, Ø 38 mm, with steel piston rod
<b>Integrated dirt filter</b>	-	-	-	-	x	-	-
<b>Spare parts compartment with seals</b>	-	-	-	-	-	x	-
<b>Wall bracket</b>	-	-	-	-	-	x	-
<b>Transport trolley</b>	-	-	-	-	-	-	optional 3960D
<b>Funnel cover</b>	-	-	-	-	-	-	optional 6247D
<b>Compressed air filler valve</b>	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB
<b>Individual packaging</b>	shrink film	shrink film	colored cardboard box 20 x 20 x 54 cm	colored cardboard box 20 x 20 x 54 cm	colored cardboard box 19.5 x 23 x 52.5 cm	colored cardboard box 24.5 x 23 x 46 cm	colored cardboard box 23 x 26 x 49.5 cm
<b>Packing unit/pieces</b>	4	4	4	4	4	3	1
<b>Pieces/pallet</b>	96	96	96	96	72	60	45
<b>Display pallet</b>	3230RN (24 pieces) 3230D (48 pieces)	3232RN (18 pieces) 3232RD (36 pieces)	3232D (18 pieces) 3232E (36 pieces)	-	-	-	-

EAN code



## Compression sprayers (6 bar / 88 psi)

Professional landscaping, care of gardens with large trees, forestry, care of espalier trees



3615G



Safety interlock



Pump holder




Spare parts compartment with seals



	FERROX	INOX	FERROX	INOX
<b>Order number</b>	3565	3595	3585G	3615G
<b>Filling contents</b>	5.0 l	5.0 l	10.0 l	10.0 l
<b>Total contents</b>	9.0 l	9.0 l	13.0 l	13.0 l
<b>Operating pressure</b>	6 bar (88 psi)	6 bar (88 psi)	6 bar (88 psi)	6 bar (88 psi)
<b>Tare weight</b>	4.8 kg	4.3 kg	5.5 kg	4.8 kg
<b>Tank</b>	steel polyester-coated	stainless steel	steel polyester-coated	stainless steel
<b>Carried at the side</b>	x	x	x	x
<b>Carried on the back, padded carrying straps</b>	optional 7121M	optional 7121M	x	x
<b>Seals</b>				
<b>Nozzle</b>	Hollow cone, brass, 1.1 mm			
<b>Spray wand 360° rotatable,</b>	brass 50 cm	brass 50 cm	brass 50 cm	brass 50 cm
<b>Extension wand</b>	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm
<b>Hose</b>	spiral hose with safety interlock 2.5 m			
<b>Safety valve and manometer</b>	exchangeable	exchangeable	exchangeable	exchangeable
<b>Pressure regulator DOSICONTROL</b>	-	-	x	x
<b>Shut-off valve with filter</b>	x	x	x	x
<b>Filling screen</b>	-	-	x	x
<b>High Stability</b>	x	x	x	x
<b>Spray and extension wand bracket</b>	x	x	x	x
<b>Spray shield</b>	optional 3914D	optional 3914D	optional 3914D	optional 3914D
<b>Pump</b>	Brass, Ø 38 mm	Brass, Ø 38 mm	Brass, Ø 38 mm	Brass, Ø 38 mm
<b>Pump holder</b>	x	x	x	x
<b>Spare seals</b>	x	x	x	x
<b>Transport trolley</b>	optional 3965	optional 3965	optional 3965	optional 3965
<b>Funnel cover</b>	optional 6247N	optional 6247N	optional 6247N	optional 6247N
<b>Compressed air filler valve</b>	optional 6210NA/NB, 6215NA/NB, 6222NA/NB			
<b>Individual packaging</b>	colored cardboard box 28.5 x 26 x 51 cm		colored cardboard box 28.5 x 26 x 65.5 cm	
<b>Packing unit/pieces</b>	1	1	1	1
<b>Pieces/pallet</b>	48	48	36	36
<b>EAN code</b>				

### DOSICONTROL

The diagram illustrates that, compared to conventional sprayers (red line), sprayers with DOSICONTROL (blue line) produce an even quantity of spray and thus also an even drop size. Without restricting efficiency, this results in savings of up to 30%.




## Backpack sprayers

Professional landscaping, care of gardens with large trees, forestry, care of espalier trees




3558

18 L



12 L



Well designed back carrying system



Ergonomically formed shut-off valve with control pressure gauge



	RS125	RS185	STABILUS
<b>Order number</b>	3552	3558	3541G
<b>Filling contents</b>	12.0 l	18.0 l	18.0 l
<b>Total contents</b>	14.0 l	20.0 l	19.0 l
<b>Operating pressure</b>	up to 6 bar (88 psi)	up to 6 bar (88 psi)	up to 6 bar (88 psi)
<b>Tare weight</b>	4.8 kg	5.0 kg	5.2 kg
<b>Tank</b>	plastic	plastic	stainless steel
<b>Carried on the back, padded carrying straps</b>	50 mm width	70 mm width s-form	x
<b>Lower back support</b>	-	-	x
<b>Hip-belt</b>	-	x	-
<b>Chest strap</b>	-	x	x
<b>Ergonomically formed back part of the tank</b>	x	x	-
<b>Seals</b>			
<b>Nozzle</b>	Hollow cone, brass, 1.1 mm		
<b>Spray wand 360° rotatable</b>	brass 50 cm	brass 50 cm	brass 50 cm
<b>Extension wand</b>	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm
<b>Hose</b>	150 cm reinforced with fabric insert	150 cm reinforced with fabric insert	120 cm reinforced with fabric insert
<b>Ergonomically formed shut-off valve</b>	with control pressure gauge	with control pressure gauge	with control pressure gauge
<b>Ergonomically shaped grip adjustable in length</b>	x	x	-
<b>High Stability</b>	x	x	x
<b>Extra large filling opening</b>	x	x	-
<b>Filling cap with captive loop</b>	inclusive integrated filling caps		x
<b>Filling screen</b>	x	x	x
<b>Reliable holder for spray wand</b>	x	x	x
<b>Spray shield</b>	optional 3914D	optional 3914D	optional 3914D
<b>Mounting bracket for spray shield</b>	on both sides	on both sides	-
<b>Pump lever can be installed on left or right side</b>	x	x	-
<b>Pump lever adjustable in width</b>	-	x	-
<b>Piston Pump</b>	plastic	plastic	brass
<b>Individual packaging</b>	colored cardboard box 41 x 24.5 x 52 cm	colored cardboard box 41 x 24.5 x 56 cm	colored cardboard box 38 x 23 x 56.5 cm
<b>Packing unit/pieces</b>	1	1	1
<b>Pieces/pallet</b>	35	30	39
<b>EAN code</b>			

## Garden and household aids

Care and watering in household and garden, terrace plants, balcony plants, roses, shrubs, low plants, weed control



3111R: 360° function for overhead spraying



	MAJA Trigger sprayer	Trigger sprayer	
Order number	3111R	3110	3111
Filling contents	1.0 l	0.5 l	1.0 l
Tare weight	100 g	65 g	80 g
Tank	plastic	plastic three colors: red, green, yellow	
Nozzle	plastic, adjustable (mist to jet)	plastic, adjustable (mist to jet)	
360° Funktion		-	-
Verpackung	loose in shipping box		
Packing unit/pieces	12	15 assorted	12 assorted
Pieces/pallet	672	840	672
EAN code			




### MONSUN Rain meter

3100

130 g

up to 50 litres of rain

With universal bracket for different attachment options to pole, balcony, fence post, etc.



### THERMO-GÄRTNER

1760

1150 g

With 600 ml liquid gas can, sufficient for approx. 1½ hours of operation with Piezo ignition with stepless control valve

1765 spare gas can for THERMO-GÄRTNER 600 ml butane / propane (packing unit: 10 pieces)



	self service package film bag	colored display card
Packaging		
Packing unit/pieces	16	4
Pieces/pallet	896	144
Display stand	-	0150 VM display stand (not assembled) for max. 8 pieces 1760, 10 pieces 1765




EAN code



## Pressure sprayers up to 1.5 l

Care and watering in household and garden, terrace plants, balcony plants, roses, shrubs, low plants



	UNIVERSAL	BUGSI	BUGSI 360°	FLEXI	
Order number	3130K	3130G	3132K	3132GR	3131
Filling contents	1.0 l	1.5 l	1.0 l	1.5 l	1.5 l
Tare weight	360 g	400 g	380 g	420 g	500 g
Tank	plastic, only suitable for water!		plastic	plastic	plastic
Seals					
Nozzle	plastic, adjustable (fine, even atomization)				brass, swiveling
Foam nozzle	-	-	-	-	optional (1474P)
Extra large filling opening	x	x	x	x	x
Extension 25 cm, flexible	-	-	-	-	optional (3653)
Safety valve against overpressure	-	-	x	x	x
360° function	-	-	-		-
Packing unit/pieces	12	10	12	8	4
Pieces/pallet	456	380	456	304	224
EAN code					



Safety valve against overpressure



3132GR: 360° function for overhead spraying



3131: Nozzle swiveling



3131 with extension (3653)

## Spraying is the economic alternative – MESTO understands your trade



Clean and efficient – this is how you work with MESTO when you want a fine distribution of liquids. Our product solutions are as diverse and individual as the various tasks you have to deal with. Efficient use of liquids through perfectly designed sprayers and product development in close cooperation with the customer – fulfilling special requirements – this convinces more and more users.



### Handicraft:

- ◆ For painters spraying on wallpaper stripper
- ◆ Distribution of primer such as penetrating primer or etch primer
- ◆ Extraction of liquids with MESTO SAUGFIX

### Construction:

- ◆ Spraying of concrete releasing agents, impregnation and other construction chemicals
- ◆ Cooling and rinsing of drill bits
- ◆ Binding of dust during cut-off grinding

### Cleaning:

- ◆ Application of all types of cleaning agents and disinfectants
- ◆ Cleaning vehicles, motorcycles and bicycles
- ◆ Distribution of foaming cleaning agents

### Hygiene:

- ◆ Pest control
- ◆ Epidemic prevention

### Wood working:

- ◆ Distribution of wood preservatives
- ◆ Application of glaze

### Traffic:

- ◆ Lubrication of railroad switches
- ◆ Cleaning trucks
- ◆ Engine compartment preservation
- ◆ Corrosion protection

### Agriculture and forestry:

- ◆ Plant protection
- ◆ Weed control
- ◆ Spraying to prevent browsing animals
- ◆ Disinfection of stables
- ◆ Control of epidemics



## INOX SUPER EXTREME – optimum chemical resistance



**NEW!**

The Inox Super Extreme (6 bar / 44 psi) joins the robust stainless steel tank with the chemical resistance of a plastic insert in a perfect way.



The funnel cover protects against dirt

Ergonomically formed shut-off valve with filter



Integrated compressed air filler valve 6222NB (plug-in coupling)

Chemical resistant special hose, 200 cm long

Available in FPM or EPDM execution



Stainless steel tank with plastic insert for optimum chemical resistance at a working pressure of up to 6 bar (44 psi)

Special spray wand made of stainless steel with chemical resistant, special flat jet nozzle (extension wand available as an option)

Stable foot ring for a sturdy foothold

Spare parts compartment with spare seals



## Compression sprayers (3 bar / 44 psi)

Construction work



3270P



Integrated dirt filter



3270P, 3275P: Ergonomically formed shut-off valve with filter



3270P, 3275P funnel cover: protection against dirt



	PRIMER	PRIMER	FIX PLUS	PROFI PLUS	
<b>Order number</b>	3237P	3278P	3237FP	3275P	3270P
<b>Filling contents</b>	5.0 l	8.0 l	5.0 l	5.0 l	10.0 l
<b>Total contents</b>	7.0 l	10.0 l	7.0 l	8.0 l	12.5 l
<b>Operating pressure</b>	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)
<b>Tare weight</b>	1.7 kg	2.9 kg	1.7 kg	2.6 kg	3.1 kg
<b>Tank</b>	plastic with large pressure reservoir			plastic with large pressure reservoir	
<b>Carried at the side</b>	x	x	x	x	x
<b>Carried on the back</b>	-	-	-	optional, padded carrying straps (7121M)	
<b>Seals</b>					
<b>Nozzle</b>	POM, flat jet 110-02	POM, flat jet 110-02	POM, flat jet 110-02	brass, flat jet 80-01 with fine filter	
<b>Spray wand 360° rotatable</b>	<b>NEW!</b> plastic 48 cm	<b>NEW!</b> plastic 48 cm	<b>NEW!</b> plastic 48 cm	brass 50 cm	brass 50 cm
<b>Extension wand</b>	optional, up to 100 cm			optional, up to 300 cm	
<b>Hose</b>	130 cm	130 cm	200 cm transparent oil resistant	spiral hose 250 cm	spiral hose 250 cm
<b>Integrated dirt filter</b>	x	x	x	x	x
<b>Safety valve with pressure gauge</b>	x	x	x	x	x
<b>Shut-off valve</b>	<b>NEW!</b> ergonomic	<b>NEW!</b> ergonomic	<b>NEW!</b> ergonomic	ergonomic with large fine filter	
<b>Extra large filling opening</b>	integrated	integrated	integrated	integrated	integrated
<b>Funnel cover</b>	-	x	-	x	x
<b>High Stability</b>	x	x	x	x	x
<b>Spray and extension wand bracket</b>	x	x	x	x	x
<b>Pump</b>	plastic, Ø 38 mm	plastic, Ø 38 mm	plastic, Ø 38 mm	plastic, Ø 38 mm, with steel piston rod	
<b>Transport trolley</b>	-	-	-	optional 3960D	optional 3960D
<b>Compressed air filler valve</b>	optional 6209NA/NB		optional 6209NA/NB	optional 6209NA/NB	
<b>Individual packaging</b>	colored cardboard box 19.5 x 23 x 52.5 cm	neutral cardboard box 23.5 x 26 x 60 cm	shrink film	colored cardboard box 23 x 26 x 49.5 cm	colored cardboard box 23 x 26 x 65.5 cm
<b>Display pallet</b>	3237PD (18 pieces)	-	-	-	-
<b>Packing unit/pieces</b>	4	1	4	1	1
<b>Pieces/pallet</b>	72	56	72	60	45
<b>EAN code</b>					

## Compression sprayers (6 bar / 88 psi)

Construction work



3585F



Funnel cover



integrated compressed air filler valve 6222NB (plug-in coupling)



Pump holder: Protects the pump against dirt



	FERROX PLUS			
<b>Order number</b>	3565P	3565F	3585P	3585F
<b>Filling contents</b>	6.0 l	6.0 l	10.0 l	10.0 l
<b>Total contents</b>	9.0 l	9.0 l	13.0 l	13.0 l
<b>Operating pressure</b>	6 bar	6 bar	6 bar	6 bar
<b>Tare weight</b>	4.8 kg	4.8 kg	5.5 kg	5.5 kg
<b>Tank</b>	Steel, polyester-coated	Steel, polyester-coated	Steel, polyester-coated	Steel, polyester-coated
<b>Carried at the side</b>	x	x	x	x
<b>Carried on the back, padded carrying straps</b>	-	-	x	x
<b>Seals</b>				
<b>Nozzle</b>	Brass, flat jet 80-01, with fine filter			
<b>Spray wand 360° rotatable</b>	Brass, 50 cm	Brass, 50 cm	Brass, 50 cm	Brass, 50 cm
<b>Extension wand</b>	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm
<b>Hose</b>	spiral hose 2.5 m with safety interlock	spiral hose 2.5 m with safety interlock	spiral hose 2.5 m with safety interlock	spiral hose 2.5 m with safety interlock
<b>Safety valve</b>	exchangeable	exchangeable	exchangeable	exchangeable
<b>Manometer</b>	exchangeable	exchangeable	exchangeable	exchangeable
<b>Shut-off valve with filter</b>	with fine filter	with fine filter	with fine filter	with fine filter
<b>Extra large filling opening</b>	integrated	integrated	integrated	integrated
<b>Funnel cover</b>	x	x	x	x
<b>High Stability</b>	x	x	x	x
<b>Spray and extension wand bracket</b>	x	x	x	x
<b>Pump</b>	brass, Ø 38 mm	brass, Ø 38 mm	brass, Ø 38 mm	brass, Ø 38 mm
<b>Pump holder</b>	x	x	x	x
<b>Spare parts compartment with spare seals</b>	x	x	x	x
<b>Transport trolley</b>	optional 3965	optional 3965	optional 3965	optional 3965
<b>Compressed air filler valve</b>	optional 6210NA/NB, 6215NA/NB, 6222NA/NB	6222NB integrated	optional 6210NA/NB, 6215NA/NB, 6222NA/NB	6222NB integrated
<b>Individual packaging</b>	colored cardboard box 28.5 x 26 x 51 cm	colored cardboard box 28.5 x 26 x 51 cm	colored cardboard box 28.5 x 26 x 65.5 cm	colored cardboard box 28.5 x 26 x 65.5 cm
<b>Packing unit/pieces</b>	1	1	1	1
<b>Pieces/pallet</b>	48	48	36	36
<b>EAN code</b>				

# Compression sprayers (6 bar / 88 psi)

Construction work, cleaning industry, vehicle cleaning, professional pest control



3615FT



Funnel cover



integrated compressed air filler valve 6222NB (plug-in coupling)



Pump holder: Protects the pump against dirt



Spiral hose with safety lock



3615S, 3615SE: Inner tank: acid resistant plastic



## INOX PLUS

## INOX SUPER EXTREME

	3595P	3595F	3615P	3615F	3615FT	3615S	3615SE
<b>Order number</b>	3595P	3595F	3615P	3615F	3615FT	3615S	3615SE
<b>Filling contents</b>	6.0 l	6.0 l	10.0 l	10.0 l	10.0 l	10.0 l	10.0 l
<b>Total contents</b>	9.0 l	9.0 l	13.0 l	13.0 l	13.0 l	13.0 l	13.0 l
<b>Operating pressure</b>	6 bar	6 bar	6 bar	6 bar	6 bar	6 bar	6 bar
<b>Tare weight</b>	4.3 kg	4.4 kg	4.7 kg	4.9 kg	6.7 kg	5.6 kg	7.8 kg
<b>Tank</b>	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	outside: stainless steel inside: plastic	outside: stainless steel inside: plastic
<b>Carried at the side</b>	x	x	x	x	x	x	x
<b>Carried on the back, padded carrying straps</b>	optional 7121M	optional 7121M	x	x	optional 7121M	optional 7121M	optional 7121M
<b>Seals</b>							
<b>Application</b>	pH 5 - 9*	pH 5 - 9*	pH 5 - 9*	pH 5 - 9*	pH 5 - 9*	pH 1 - 9*	pH 7 - 14*
<b>Nozzle(s)</b>	Brass, flat jet 80-01E with filter	Brass, flat jet 80-01E with filter AND brass hollow cone 1.1 mm	Brass, flat jet 80-01E with filter	Brass, flat jet 80-01E with filter AND brass hollow cone 1.1 mm	Brass, flat jet 80-01E with filter AND brass hollow cone 1.1 mm	PVDF flat jet 90-02 AND stainless, hollow cone 1.1 mm	PVDF flat jet 90-02 AND stainless, hollow cone 1.1 mm
<b>Spray wand 360° rotatable, length 50 cm</b>	brass	brass	brass	brass	brass	stainless steel	stainless steel
<b>Extension wands</b>	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm	optional up to 300 cm	optional up to 100 cm	optional up to 100 cm
<b>Hose</b>	spiral hose 250 cm with safety interlock	spiral hose 250 cm with safety interlock	spiral hose 250 cm with safety interlock	spiral hose 250 cm with safety interlock	spiral hose 250 cm with safety interlock	special hose, resistant against chemicals 200 cm	special hose, resistant against chemicals 200 cm
<b>Compressed air filler valve</b>	optional 6222NA/NB 6210NA/NB 6215NA/NB	6222NB integrated	optional 6222NA/NB 6210NA/NB 6215NA/NB	6222NB integrated	6222NB integrated	6222NB integrated	6222NB integrated
<b>Safety valve</b>	exchangeable	exchangeable	exchangeable	exchangeable	exchangeable	exchangeable	exchangeable
<b>Manometer</b>	exchangeable	exchangeable	exchangeable	exchangeable	exchangeable	exchangeable	exchangeable
<b>Shut-off valve</b>	with filter screen	with filter screen	with filter screen	with filter screen	with filter screen	ergonomic with large filter screen	ergonomic with large filter screen
<b>Funnel cover</b>	x	x	x	x	x	x	x
<b>Spray and extension wand bracket</b>	x	x	x	x	x	x	x
<b>Pump</b>	Brass, Ø 38 mm	Brass, Ø 38 mm	Brass, Ø 38 mm	Brass, Ø 38 mm	Brass, Ø 38 mm	Plastic, Ø 38 mm	Plastic, Ø 38 mm
<b>Spare parts compartment with spare seals</b>	x	x	x	x	x	x	x
<b>Transport trolley</b>	optional (3965)	optional (3965)	optional (3965)	optional (3965)	x	optional (3965)	optional (3965)
<b>Pump holder</b>	x	x	x	x	x	x	x
<b>Individual packaging (cm)</b>	colored cardboard box 28.5 x 26 x 51	colored cardboard box 28.5 x 26 x 65.5	colored cardboard box 28.5 x 26 x 65.5	colored cardboard box 28.5 x 26 x 65.5	colored cardboard box 28.5 x 26 x 65.5	neutral cardboard box 28.5 x 26 x 65.5	neutral cardboard box 28.5 x 26 x 65.5
<b>Packing unit (pieces)</b>	1	1	1	1	1	1	1
<b>Pieces/pallet</b>	48	48	36	36	36	36	36
<b>EAN code</b>							

# Pressurized water tanks (3 bar / 44 psi) suction devices

Construction work



	SAUGFIX	PRIMER H <sub>2</sub> O	PROFI H <sub>2</sub> O	FERROX H <sub>2</sub> O	
<b>Order number</b>	3253P	3253PS	3237W	3270W	3585W
<b>Filling contents</b>	4.0 l	4.0 l	5.0 l	10.0 l	10.0 l
<b>Total contents</b>	4.0 l	4.0 l	7.0 l	12.5 l	13.0 l
<b>Operating pressure</b>	- 0.7 bar (-10 psi) low pressure	- 0.7 bar (-10 psi) low pressure	3 bar (44 psi)	3 bar (44 psi)	6 bar
<b>Tare weight</b>	1.6 kg	1.5 kg	1.6 kg	3.0 kg	5.4 kg
<b>Tank</b>	plastic	plastic	plastic, transparent large pressure reservoir	plastic, transparent large pressure reservoir	steel polyester-coated
<b>Seals</b>					
<b>Hose</b>	50 cm with ball valve and suction needle	with ball valve and 2*3/8" screw connection	4.0 m transparent with water stop	4.0 m transparent with water stop	2.5 m reinforced with fabric insert with water stop
<b>Safety valve and manometer</b>	Vacuum gauge	Vacuum gauge	x	exchangeable	exchangeable
<b>Extra large filling opening</b>	-	-	integrated	integrated	integrated
<b>Integrated dirt filter</b>	-	-	x	x	-
<b>High Stability</b>	-	-	x	x	x
<b>Pump</b>	plastic, with jacket wand	plastic, with jacket wand	plastic, Ø 38 mm	plastic, Ø 38 mm, with steel piston rod	brass, Ø 38 mm
<b>Pump holder</b>	-	-	-	-	x
<b>Spare parts compartment with spare seals</b>	-	-	-	-	x
<b>Transport trolley</b>	-	-	-	optional 3960D	optional 3965
<b>Funnel cover</b>	-	-	-	x	x
<b>Compressed air filler valve</b>	-	-	optional 6209NA/NB	optional 6209NA/NB	optional 6210NA/NB, 6215NA/NB
<b>Individual packaging</b>	neutral cardboard box 18 x 18 x 50.5 cm	neutral cardboard box 18 x 18 x 50.5 cm	neutral cardboard box 19.5 x 23 x 52.5 cm	neutral cardboard box 23 x 26 x 65.5 cm	neutral cardboard box 28.5 x 26 x 65.5 cm
<b>Packing unit/pieces</b>	1	1	1	1	1
<b>Pieces/pallet</b>	96	96	72	45	36
<b>EAN code</b>					



Extracting liquids



Core drill



Cut-off grinder in road construction

# Compression sprayers (3 bar)

Cleaning industry, disinfection, corrosion protection, impregnation



3270TP



Ergonomically formed shut-off valve with lid - available in various colors



	FIX PLUS	3275PP	3275PE	3270PP	3270PE	3270TP
<b>Order number</b>	3237FM	3275PP	3275PE	3270PP	3270PE	3270TP
<b>Filling contents</b>	5.0 l	5.0 l	5.0 l	10.0 l	10.0 l	10.0 l
<b>Total contents</b>	7.0 l	8.0 l	8.0 l	12.5 l	12.5 l	12.5 l
<b>Operating pressure</b>	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)
<b>Tare weight</b>	1.7 kg	2.6 kg	2.6 kg	2.9 kg	2.9 kg	3.4 kg
<b>Tank</b>	plastic, with large pressure reservoir					
<b>Carried at the side</b>	x	x	x	x	x	x
<b>Carried on the back</b>	-	optional, padded carrying straps (7121M)		optional, padded carrying straps (7121M)		
<b>Seals</b>						
<b>Application</b>	pH 4-7*	pH 1-9*	pH 7 - 14*	pH 1-9*	pH 7 - 14*	pH 1-9*
<b>Nozzle</b>	POM, flat jet 110-02	PVDF, flat jet, 90-02	PVDF, flat jet, 90-02	PVDF, flat jet, 90-02	PVDF, flat jet, 90-02	PVDF, flat jet, 90-02
<b>Spray wand 360° rotatable</b>	plastic 50 cm	plastic 50 cm	plastic 50 cm	plastic 50 cm	plastic 50 cm	plastic 50 cm
<b>Extension wand</b>	optional, plastic, 45 cm (3664NL)	optional, plastic, 45 cm (3664NL)	optional, plastic, 45 cm (3664NL)	optional, plastic, 45 cm (3664NL)	optional, plastic, 45 cm (3664NL)	optional, plastic, 45 cm (3664NL)
<b>Hose</b>	200 cm	200 cm	200 cm	200 cm	200 cm	200 cm
<b>Safety valve and pressure gauge</b>	x	x	x	x	x	x
<b>Shut-off valve</b>	ergonomic	ergonomically formed with filter		ergonomically formed with filter		
<b>Extra large filling opening</b>	integrated	integrated	integrated	integrated	integrated	integrated
<b>Funnel cover</b>	-	optional 6247D	optional 6247D	optional 6247D	optional 6247D	optional 6247D
<b>High Stability</b>	x	x	x	x	x	x
<b>Spray and extension wand bracket</b>	x	x	x	x	x	x
<b>Pump</b>	plastic, Ø 38 mm,	plastic, Ø 38 mm, with coated steel piston rod	plastic, Ø 38 mm, with coated steel piston rod	plastic, Ø 38 mm, with coated steel piston rod	plastic, Ø 38 mm, with coated steel piston rod	plastic, Ø 38 mm, with coated steel piston rod
<b>Specially coated spring</b>	-	x	-	x	-	x
<b>Transport trolley</b>	-	optional 3960D	optional 3960D	optional 3960D	optional 3960D	x
<b>Compressed air filler valve</b>	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB	optional 6209NA/NB
<b>Individual packaging</b>	Shrink film	colored cardboard box 23 x 26 x 49.5 cm	colored cardboard box 23 x 26 x 49.5 cm	colored cardboard box 23 x 26 x 65.5 cm	colored cardboard box 23 x 26 x 6.5 cm	neutral card- board box 28.5 x 26 x 65.5 cm
<b>Packing unit/pieces</b>	4	1	1	1	1	1
<b>Pieces/pallet</b>	72	60	60	45	45	36
<b>EAN code</b>						

\*In these cases, check carefully beforehand whether the material is resistant to the liquids to be used.

# Pressure sprayers & trigger sprayers

Cleaning industry, industry - vehicle cleaning, disinfection, corrosion protection, impregnation



3132NG



All devices of the CLEANER series are equipped with a protection cap to improve chemical resistance. Thus the non-return valve does not come in contact with the liquid.



3132PR with 360° function: can spray even upside-down



5266PP: Colored spray wands for determining the application area



3131P: rotating nozzle



3131P: Extension for comfortable working (3653)



	Trigger sprayer				UNIVERSAL PLUS	UNIVERSAL PLUS 360°	FLEXI PLUS	CLEANER		
Order number	3110P	3111P	3111PD	3111PR	3132PG	3132PR	3131P	3132BC	3132PP	3132NG
Filling contents	0.6 l	1.0 l	1.0 l	1.0 l	1.5 l	1.0 l	1.5 l	1.5 l	1.5 l	1.5 l
Operating pressure	. / .	. / .	. / .	. / .	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)
Tare weight	80 g	100 g	100 g	100 g	420 g	310 g	500 g	430 g	430 g	480 g
Tank	plastic, transparent, with filling scale				plastic, transparent, with filling scale			plastic, transparent, with filling scale		
Seals										
Application	pH 1 - 9*	pH 1 - 9*	pH 7 - 14*	pH 4 - 7*	pH 4 - 7*	pH 4 - 7*	pH 4 - 7*	pH 7 - 14*	pH 1 - 9*	pH 1 - 9*
Nozzle	plastic, adjustable	plastic, adjustable	plastic, adjustable	plastic, adjustable	plastic, adjustable	plastic, adjustable	plastic adjustable rotating	plastic, adjustable	plastic, adjustable	plastic, adjustable
Safety valve	-	-	-	-	x	x	x	x	x	x
Extra large filling funnel	-	-	-	-	x	x	x	x	x	x
Pump	plastic	plastic	plastic	plastic	plastic, PP	plastic, PP	plastic, PP	plastic, PP	plastic, PP	nylon, PA
plastic jacket wand to protect the non-return valve	-	-	-	-	-	-	-	x	x	x
Specially coated spring	-	-	-	-	-	-	-	x	x	x
360° Function	-	-	-		-		-	-	-	-
Color coding	-	-	-	-	optional colored spray wands (green, blue, red) for determining the application area (5266PP)		-	optional colored spray wands (green, blue, red) for determining the application area (5266PP)		
Extension 25 cm, flexible	-	-	-	-	-	-	optional 3653	-	-	-
Packing unit/pieces	20	18	18	18	10	10	4	10	10	10
Pieces/pallet	1120	684	684	684	380	380	224	380	380	380

EAN code	3110P	3111P	3111PD	3111PR	3132PG	3132PR	3131P	3132BC	3132PP	3132NG

\*In these cases, check carefully beforehand whether the material is resistant to the liquids to be used.

## Which sprayer for which application? Which liquids can be used with which device?

Application	Trigger sprayer	UNIVERSAL PLUS	UNIVERSAL PLUS 360°	FLEXI PLUS	CLEANER
Mineral oils	FERROX PLUS, INOX PLUS, PROFI PLUS				CLEANER, INOX SUPER EXTREME
Weak saline solutions	INOX PLUS, CLEANER				CLEANER, INOX SUPER EXTREME
Slightly alkaline agents	INOX PLUS, CLEANER				CLEANER, INOX SUPER EXTREME
Alkaline agents	CLEANER (EPDM), FOAMER (EPDM)				CLEANER, INOX SUPER EXTREME
Slightly acidic agents	INOX SUPER EXTREME (EPDM)				CLEANER, INOX SUPER EXTREME
Acidic agents	INOX PLUS, CLEANER				CLEANER, INOX SUPER EXTREME
Disinfectants	CLEANER, INOX SUPER EXTREME, FOAMER				CLEANER (EPDM), INOX SUPER EXTREME (EPDM)
	INOX PLUS, CLEANER, INOX SUPER EXTREME				
				Hydrogen peroxide up to 10 % Azotic acid, distilled vinegar and propionic acid up to approx. 10 % Hydrochloric acid up to approx. 20 % Phosphoric and sulphuric acid up to approx. 30 % Caustic potash solution and caustic soda up to approx. 20 %	

# Foamer (3 bar / 44 psi)

Construction work, cleaning industry,  
industry - vehicle cleaning, disinfection



3270FO



	FOAMER			
Order number	3132FO	3132FE	3270FO	3270FE
Filling contents	1.5 l	1.5 l	8.0 l	8.0 l
Total contents	2.0 l	2.0 l	12.5 l	12.5 l
Operating pressure	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)	3 bar (44 psi)
Tare weight	500 g	500 g	2.8 kg	2.8 kg
Tank	plastic with filling scale with large pressure reservoir		plastic with filling scale with large pressure reservoir	
Carried at the side	-	-	x	x
Seals				
Application	for foaming agents, generates – due to liquid – a dry, long adherent foam, area wide			
Nozzle	POM, flat jet, 110-06	POM, flat jet, 110-06	POM, flat jet, 110-06	POM, flat jet, 110-06
Hose	-	-	Polyethylen 250 cm	Polyethylen 250 cm
Safety valve	x	x	with pressure gauge	with pressure gauge
Shut-off valve	-	-	ergonomic with filter	ergonomic with filter
Extra large filling funnel	x	x	x	x
High stability	x	x	x	x
Spray and extension wand bracket	-	-	x	x
Pump	plastic, Ø 31 mm	plastic, Ø 31 mm	plastic, Ø 38 mm, with steel piston rod	plastic, Ø 38 mm, with steel piston rod
Transport trolley	-	-	optional 3960D	optional 3960D
Compressed air filler valve	-	-	optional 6209NA/NB	optional 6209NA/NB
Individual packaging	-	-	neutral cardboard box 23 x 26 x 65.5 cm	
Packing unit/pieces	8	8	1	1
Pieces/pallet	256	256	45	45



Generates – due to liquid – a dry, long adherent foam, area wide



Fleece pads to modify foam consistency

\*In these cases, check carefully beforehand whether the material is resistant to the liquids to be used.

# Special compression sprayers (6 bar / 88 psi)

Professional pest control,  
PCO




3594P



	RESISTENT PLUS	
Order number	3592P	3594P
Filling contents	5.0 l	4.0 l / 1.06 gal (US)
Total contents	8.0 l	5.0 l
Operating pressure	6 bar	6 bar
Tare weight	4.0 kg	3.0 kg
Tank	stainless steel embossed litre scale	stainless steel
Carried at the side	x	-
Seals		
Nozzle	brass, flat jet, 80-01E	stainless coated, hollow cone 1,1 mm
Spray wand 360° rotatable, length 50 cm	brass	stainless coated
Hose	1.2 m oil resistant and cold flexible	Spiral hose 2.5 m
Safety valve	exchangeable	exchangeable
Spray and extension wand bracket	x	x
Pump	brass Ø 38 mm	stainless coated Ø 38 mm
Separate filler opening	x	-
Angle hose connection, hose rotatable	-	x
Extension wands	optional up to 300 cm	optional up to 300 cm
Compressed air filler valve	optional 6210A/B	optional 6215NA/NB
Individual packaging	neutral cardboard box 21.5 x 20.5 x 52	neutral cardboard box 21.5 x 20.5 x 52
Packing unit/pieces	1	1
Pieces/pallet	63	63



EAN code



3594P (4.0 l) in action

## Clever Ideas – More Performance MESTO makes more out of your sprayer

A well coordinated range of accessories for different applications and a wide range of spare parts and nozzles make the MESTO sprayer an economic, durable and versatile acquisition. MESTO quality products are, therefore, not only diligent assistants used by professionals and amateurs alike, but also reliable long-term companions.



### Accessories at a Glance

Get an overview of all accessories. On pages 41 - 43 you will find a list of spare parts & accessories corresponding to the various sprayers. These lists are available as service cards to support our dealers quickly and reliably when questions arise. To support our dealers, we are also pleased to provide these charts as service cards for the point of sale so that you can answer all end-customer questions quickly and reliably.



### 20 Years Supply of Spare Parts

MESTO sprayers are worthwhile investments because all spare parts of newly purchased products will be available for 20 years. The sprayer can, therefore, be upgraded or converted at any time – definitely a strong sales argument. Our service team is always on hand to assist with this.



First Aid kit

Self service package with accessories and spare parts



### Compressed air filler valves



With the support of these air filler valves, MESTO sprayers can be connected to a compressor and subsequently pressurized with compressed air. No manual pumping necessary.

MESTO equips all compressed air filler valves with a pressure relief for your safety.



Two versions for all executions are available. They differ depending on the attachment to the pressure line:  
A = Tire valve connection B = Plug-in coupling NW 7.2

No.		Packaging	EAN code
6209NA 6209NB		for plastic compression sprayers 3 bar (44 psi) plastic/brass 3 bar (44 psi)	Foil bag 4 000903 620929 4 000903 620936
6210NA 6210NB		for FERROX/INOX plastic/brass 6 bar (88 psi) operating pressure adjustable	Foil bag 4 000903 621025 4 000903 621032
6215NA 6215NB		for FERROX/INOX plastic/brass 6 bar (88 psi)	Foil bag 4 000903 621506 4 000903 621513
6222NA 6222NB		for FERROX/INOX brass 6 bar (88 psi)  For direct use on the device. It is possible to combine pump and compressed air filler valve (For FERROX and INOX only).	Foil bag 4 000903 622206 4 000903 622244

# Accessories

Filler screen, wide spray wand, spray shield  
tong nozzle, protective clothing, dosing set



6122

<b>Filler screen</b>	<b>6122</b>	Large-surface filling screen for pre-filtering self-prepared biological mixtures. For compression sprayer PROFI, as well as compression sprayers FERROX, INOX
Diameter	120 mm	
Weight	40 g	
EAN code	40 00903 61220 7	



3720

<b>Wide spray wand</b>	<b>3720</b>	Recommended distance to ground 30 - 35 cm for even application of the spray pattern on a strip 150 cm wide.
Width of the wand	100 cm	
Material	Brass	
Nozzle equipment	3 flat jet nozzles 1422	
Nozzle distance	50 cm	
Packaging	Cardboard tube	
Packing unit	1 piece	
EAN code	40 00903 37200 2	



3914D

3916

<b>Spray shield</b>	<b>3914D</b>	<b>3916</b>	Spray shield made of particularly light, but impact resistant plastic. Targeted, economical spraying in the garden. 3914D with pre-lug.
Material	Plastic, transparent	Plastic, transparent	
Weight	160 g	96 g	
Width	30 cm	17.5 cm	
Nozzle equipment	Flat jet 80-015	without nozzle	
Spraying width	12 - 30 cm, adjustable by turning spray screen and nozzle		Suitable for all MESTO sprayers from 3.0 l filling content.
Packing unit	3 pieces	1 piece	
EAN code	40 00903 39140 9	40 00903 39160 7	



3778

<b>Tong nozzle</b>	<b>3778</b>	For bark beetle control and under-leaf treatment in row cultures.
Material	Brass	
Weight	165 g	
Nozzle equipment	2 hollow cone nozzles 1302/1301	Nozzle angle continuously infinitely variable by bending
Packing unit	1 piece	
EAN code	40 00903 37780 9	



2110G

3923

<b>Protective clothing</b>	<b>3923</b>	Protects people and clothing when spraying agents for plant protection and care.
Content	Protective overall with hood Protective gloves Protective face mask	
Weight	170 g	
Individual packaging	Printed plastic carrier bag 24 x 6 x 35 cm	
Packing unit	5 pieces	
EAN code	40 00903 39230 7	



3921

<b>Protective mask</b>	<b>2110 G</b>	
Content	Protective mask	
Weight	220 g	
Individual packaging	Self service package	
Packing unit	1 piece	
EAN code	40 00903 21101 1	

<b>Dosing set</b>	<b>3921</b>	For quick and precise agent dosing of spray mixtures from 1.0 - 100.0 l. Scale for powder and dosing syringe for liquid agents. Totally regardless of prepared small packs, the dosing set ensures the right mixture making it possible to prepare the quantity actually required.
Content	Scale, mixing cup, spatula Dosing syringe, mixing table	
Individual packaging	Colored cardboard box 30 x 14 x 9 cm	
Packing unit	4 pieces	
EAN code	40 00903 39210 9	

# Accessories

Funnel cover  
carrying system, transport trolley, quiver with fleece, special grease



<b>Funnel cover</b>	<b>6247DG</b>	<b>6247N</b>	Recommended for dusty environment; prevents soil deposits in the filling funnel of the spray tank that might have been flushed in and could subsequently damage function. Can be additionally installed to air pump.
Weight	30 g	30 g	
Packing unit	1 piece, loose	1 piece, loose	
EAN code	40 00903 62474 3	40 00903 62473 6	
	for PROFI, PROFI PLUS CLEANER	for FERROX, FERROX PLUS INOX, INOX PLUS	



6247N

6247DG

<b>Quiver with fleece</b>	<b>6502K</b>	For absorbing cleaning agents to prevent gumming and clogging of the nozzle.
Weight	6 g	
Packing unit	1 piece	For FERROX PLUS and INOX PLUS.
EAN code	40 00903 65021 6	



6502K

3961N

<b>Carrying system</b>	<b>3961N</b>	Ideal for continuous use thanks to optimum load distribution between shoulders, back and hip.
Height	54 cm	
Width	35 cm	
Depth	6 cm	
Weight	1.95 kg	For FERROX, FERROX PLUS, INOX and INOX PLUS.
EAN code	40 00903 39611 4	

<b>Transport trolley</b>	<b>3965</b>	<b>3960D</b>	With large elastic tires also for uneven ground.
Weight	1.6 kg	1.6 kg	
Packaging	Individual cardboard box	Individual cardboard box	
	50 x 17.5 x 6.5 cm	50 x 17.5 x 6.5 cm	
Packing unit	1 piece	1 piece	
EAN code	40 00903 39650 3	40 00903 39602 2	
	For FERROX, FERROX PLUS, INOX and INOX PLUS	For PROFI, PROFI PLUS, CLEANER and FOAMER	



3965



















3960D

<b>Special Grease</b>	<b>4800</b>	20 g tube
Content	20 g	
Packaging	Self service package	<b>NEW!</b> For lubrication of all seals and movable parts on MESTO sprayers.
Packing unit	5 pieces	
EAN code	40 00903 48000 4	




















4800

# Accessories
















Spray wands			
The curved spray wands can be adjusted infinitely at the shut-off valve for better orientation. Recommended e.g. for under-leaf spraying.			
No.		Packaging	EAN code
3654M	plastic, 50 cm, with brass-nozzle 1.1 mm	loose	40 00903 36548 6
<b>NEW!</b>			
3654AK	plastic, extendable 52-90 cm, with brass-nozzle 1.1 mm	loose	40 00903 36542 4
			
3657	brass, 50 cm, with brass-nozzle 1.1 mm	loose	40 00903 36570 7
<b>NEW!</b>			
3658	brass, 50 cm, with brass-nozzle 1.1 mm	loose	40 00903 36580 6
			
3655	brass, 50 cm, with MESTO-flat jet nozzle 1421F (80 -01E), brass	loose	40 00903 36550 9
			
3657F	brass, 50 cm, with MESTO-flat jet nozzle 1421F (80 -01E), brass	loose	40 00903 36571 4
<b>NEW!</b>			
3657S	stainless steel, 50 cm, FPM, with MESTO-flat jet nozzle 1428P, (90-02), PVDF	loose	40 00903 36572 1
<b>NEW!</b>			
3654F	plastic, 48 cm, FPM, with MESTO-flat jet nozzle 1428P, (90-02), PVDF	loose-	40 00903 36533 2
<b>NEW!</b>			
3654E	plastic, 48 cm, EPDM, with MESTO-flat jet nozzle 1428P, (90-02), PVDF	loose	40 00903 36650 6
<b>NEW!</b>			
Extension wands			
An extension wand is recommended particularly for high trees and shrubs, for efficient and economical treatment of all parts of the crown. <b>Important:</b> The longer the extension wand, the higher the pressure reserve of a sprayer should be. The pressure reserve results from the operating pressure and the size of the pressure chamber above the intended filling content of the tank.			
No.		Packaging	EAN code
3664NL	plastic, 45 cm	loose	40 00903 36641 4
			
3665	brass, 50 cm	loose	40 00903 36650 6
<b>NEW!</b>			
3665S	stainless steel, 50 cm	loose	40 00903 36651 3
<b>NEW!</b>			
3660	brass, 50 cm	loose	40 00903 36600 1
			
3670	brass, 70 cm	loose	40 00903 36700 8
			
3680	brass, 100 cm	loose	40 00903 36800 5
			
3690	brass, extendable 80-150 cm	loose	40 00903 36900 2
			
3701	brass, extendable 107-200 cm	loose	40 00903 37010 7
			
3701G	glass fiber plastic, extendable 130-250 cm	loose	40 00903 37011 4
			

# Spare Parts

No.	Discharge equipment	Packaging	EAN code
2315	for FLORI COMPACT 3230R and FLORI 3232R	Foil bag	40 00903 23150 7
<b>NEW!</b>			
6302N	for PICO 3232 and HERBI 3232U	Foil bag	40 00903 63020 1
<b>NEW!</b>			
2315V	for VERIS, PRIMER and FIX PLUS	Foil bag	40 00903 23153 8
<b>NEW!</b>			
6302M	for MAXIMA	Foil bag	40 00903 63026 3
<b>NEW!</b>			
6302P	for PROFI and PROFI PLUS	Foil bag	40 00903 63027 0
<b>NEW!</b>			
7310	for RS125 and RS185	Foil bag	40 00903 73100 7
			
6321NL	for FERROX, FERROX PLUS, INOX and INOX PLUS	Foil bag	40 00903 63213 7
			
6300NW	for FERROX H <sub>2</sub> O	Foil bag	40 00903 63005 8
			
6300WN	for PROFI H <sub>2</sub> O and PRIMER H <sub>2</sub> O	Foil bag	40 00903 62991 5
			
6302C	for CLEANER, FPM	Foil bag	40 00903 63024 9
			
6302CE	for CLEANER, EPDM	Foil bag	40 00903 63025 6
			
7307G	for STABILUS	Foil bag	40 00903 73070 3
			
No.	Miscellaneous parts	Packaging	EAN code
1601	Hose clamps for all compression sprayers and backpack sprayers (hose NW 10)	loose	40 00903 16010 4
			
1613	Cap nut, plastic (fine)	loose	40 00903 16130 9
			
1613N	Cap nut, plastic (coarse)	loose	40 00903 16131 6
			
6340K	Cap nut on all plastic compression sprayers with spiral hose	loose	40 00903 63400 1
			
1619	Cap nut extendable (only for PICO and HERBI as of year 2017)	loose	40 00903 16190 3
<b>NEW!</b>			



# Spare Parts

No.	Pumps	Packaging	EAN code
6224MN	 for FLORI COMPACT, FLORI, PICO, HERBI, VERIS and MAXIMA	loose	40 00903 62240 4
6224N	 for PROFI and PROFI H <sub>2</sub> O, with steel piston rod	loose	40 00903 62248 0
6233W	 for FERROX, FERROX PLUS, INOX and INOX PLUS	loose	40 00903 62331 9
6270	 for SAUGFIX	loose	40 00903 62700 3
6224ML	 for PRIMER and FIX PLUS	loose	40 00903 62245 9
6224SB	 for CLEANER (FPM), PROFI PLUS and INOX SUPER EXTREME (FPM) with coated steel piston rod	loose	40 00903 62246 6
6224SE	 for CLEANER (EPDM) and INOX SUPER EXTREME (EPDM) with coated steel piston rod	loose	40 00903 62247 3
No.	Safety valve	Packaging	EAN code
6703K	 for FERROX, FERROX PLUS, INOX and INOX PLUS	loose	40 00903 67031 3
No.	Pressure gauges	Packaging	EAN code
6701	 for compression sprayers 6 bar	loose	40 00903 67010 8
6707L 6707E	 6707L: for PROFI PLUS and CLEANER (FPM) 6707E: for CLEANER (EPDM)	loose	40 00903 67071 9 40 00903 67073 3
6707	 for PROFI and PROFI H <sub>2</sub> O	loose	40 00903 67070 2
No.	Shut-off valves	Packaging	EAN code
2310	 for FLORI COMPACT, FLORI, PICO, HERBI, PRIMER and FIX PLUS	Self service package	40 00903 23100 2
2311	 for MAXIMA and PROFI	Self service package	40 00903 23110 1
6307LS	 for PROFI PLUS	loose	40 00903 63071 3
2348	 for FERROX, FERROX PLUS, INOX and INOX PLUS	Self service package	40 00903 23480 5
















6307LM	 for RS125, RS185	loose	40 00903 63072 0
1348LN	 for FERROX PLUS and INOX PLUS	loose	40 00903 13482 2
6307L	 for CLEANER (FPM), hose D10 - please consider hose diameter -	loose	40 00903 63073 7
6307EM	 for CLEANER (EPDM), hose D10 - please consider hose diameter -	loose	40 00903 63070 6
6307LG	 for STABILUS	loose	40 00903 63075 1
1390	 Brass, for hose D10 with hose clamp - other connections available -	loose	40 00903 13901 8
No.	Nozzles	Packaging	EAN code
2302	 Nozzle set, 3 hollow cone nozzles (1.1/1.5/1.85 mm bore) with inserts and seals for all MESTO sprayers	Self service package	40 00903 23020 3
2303	 Nozzle (1.1 mm bore) with insert and seal for all MESTO sprayers	Self service package	40 00903 23030 2
2305	 Nozzle (2.5 mm bore) with insert and seal for all MESTO sprayers	Self service package	40 00903 23050 0
2328	 Precision flat jet nozzle for all MESTO sprayers 90-02, PVDF, with seal, as individual nozzle for very aggressive agents	Self service package	40 00903 23280 1
2329	 Precision flat jet nozzle for all MESTO sprayers 80-01E, brass, with fine filter and seal, as individual nozzle for liquids which require fine distribution and for releasing agents in construction work	Self service package	40 00903 23290 0
2330	 Precision flat jet nozzle for all MESTO sprayers 110-01, brass, with seal, for liquids which require fine distribution and for releasing agents in construction work	Self service package	40 00903 23300 6
2331	 Precision flat jet nozzle for all MESTO sprayers 80-02E, brass, with seal, as individual nozzle for area spraying and for liquids which require fine distribution and for releasing agents in construction work	Self service package	40 00903 23310 5
2332KM	 Precision flat jet nozzle for all MESTO sprayers 80-015, POM, with seal, as individual nozzle for plant protection agents	Self service package	40 00903 23321 1
2333	 Fish-mouth nozzle with seal, for all MESTO sprayers, primarily for whitewashing	Self service package	40 00903 23330 3



Fig. 1



Fig. 2



Fig. 3




Fig. 4




Fig. 5



1474E

1474EK



1346

1347

1345

1352LL

**NEW!**

Standard and special nozzles												
No.	Spray pattern	Fig.	Code	Spray angle	Material	Nozzle insert	Spray pressure optimum /bar	Flow rate l/min for			Filter	Usage
								2 bar	3 bar	4 bar		
1300/1301	Hollow cone	1	1.5	75°	Brass	1301	2.0	0.77	0.93	1.09		Plant protection on shrubs and trees where large quantities of liquid are required
1300 T/1301	Hollow cone	1	0.6	40°	Brass	1301	2.0	0.20	0.25	0.30		For very fine distribution of liquids
1302/1301	Hollow cone	1	1.1	70°	Brass	1301	2.0	0.56	0.69	0.80		Plant protection for trees and shrubs. Standard nozzle
1302S/1301	Hollow cone	1	1.1	70°	MS stainless	1301	2.0	0.56	0.69	0.80		For cleaning agents, etc.
1303/1301	Hollow cone	1	1.85	80°	Brass	1301	2.0	0.99	1.23	1.44		Large drops, especially for biological plant growth enhancers
1305/1306	Hollow cone	1	2.5	65°	Brass	1306	2.0	2.56	3.20	3.68		Special nozzle, especially for whitewashing
1308/1301	Hollow cone	1	0.8	45°	Brass	1301	2.0	0.29	0.37	0.42		For fine distribution of liquids
1307	Adjustable	2		90° full jet	Brass		2.0	0.40	0.47	0.53		For cleaning agents, etc.
1309	Adjustable	2		65° full jet	Plastic		2.0	0.33	0.40	0.46		For cleaning agents, etc.
1333	Flat jet	3	3	75°	Steel		2.0	2.01	2.75	3.18		For whitewashing
1340	2 x Hollow cone	4	1.1		Brass	1301	2.0	1.12	1.38	1.60		For row treatment where larger mixture quantities are required for vineyards, forestry, etc.
1342	2 x Hollow cone	5	1.1		Brass	1301	2.0	1.12	1.38	1.60		For row cultures and for wide-area treatment of trees and shrubs
1411	Flat jet	6	110 - 01	110°	Brass		2.5	0.32	0.39	0.46		For releasing agents which require fine distribution in the construction work, for disinfectants and cleaning agents
1421F	Flat jet	6	80 - 01 E	80°	Brass		2.5	0.32	0.39	0.46	100 M	For releasing agents which require fine distribution in the construction work
1422F	Flat jet	6	80 - 02 E	80°	Brass		2.0	0.64	0.78	0.90	100 M	For releasing agents which require fine distribution in the construction work
1423	Flat jet	6	80 - 04 E	80°	Brass		2.0	1.29	1.58	1.82		As individual nozzle for area spraying, and thick agents in the construction work
1428	Flat jet	8	80 - 02	80°	plastic, POM		2.5	0.70	0.86	0.99		For disinfectants and cleaning agents which require fine distribution. Acid resistant
1428P	Flat jet	9	90 - 02	90°	plastic, PVDF		2.5	0.70	0.86	0.99		For particularly aggressive cleaning agents
1431J	Flat jet	6	65 - 0025	65°	Brass		2.0	0.08	0.10	0.11		For releasing agents which require very fine distribution in the construction work, for disinfectants and cleaning agents
1431M	Flat jet	11	80-0067	80°	Brass		2.0	0.21	0.26	0.30		For releasing agents which require fine distribution in the construction work, for disinfectants and cleaning agents
1433KM	Flat jet	7	80-015	80°	plastic, POM		2.0	0.48	0.59	0.68		As individual nozzle for area spraying, and thick agents in the construction work
1460	Full cone	10	TG 0.5	60°	Brass		2.0	0.31	0.39	0.45		For the fine application of browsing repellents in forestry or for releasing agents in the construction work
1463	Full cone	10	TG 3	70°	Brass		2.0	1.80	2.30	2.70		For tar-based browsing repellents in forestry
Foam nozzles												
1474	Narrow full cone	12			plastic, PP/VA		1.5					For INOX PLUS, CLEANER and PRIMER
1474P	Narrow full cone	13			plastic, PP/VA		1.5					For FLEXI PLUS
1474E	Full cone				plastic/VA		2.0					For pressure sprayer CLEANER
1474EK	Full cone				plastic		2.0					For trigger sprayer
Brass elbow and nipple												
1345	Elbow											
1346	Double nipple with two outside threads M 11 x 1											
1347	Double nipple with two inside threads M 11 x 1											
1325LL	Reduction nipple female18/male 11											
Accessories for precision nozzles												
1481	Ball valve filter (mesh width 100 M) Only to be used with union nut and nozzle body 1475											
1475	Union nut and nozzle body, brass											
1351	Nozzle body, plastic											
1613	Cap nut, plastic											
1484	Fine filter (mesh width 100 M)											



Fig. 6



Fig. 7



Fig. 8



Fig. 9



Fig. 10



Fig. 11



Fig. 12



Fig. 13



1475

1481



1351








1613

1484

No.	Seal kits	Packaging	EAN code
1001	for telescopic extension wands 3690 and 3701	Foil bag	40 00903 10010 0
4002	for pressure sprayers UNIVERSAL and BUGSI	Foil bag	40 00903 40020 0
4002E	for pressure sprayer CLEANER 3132BC (EPDM)	Foil bag	40 00903 40022 4
4002L	for pressure sprayers UNIVERSAL 3132PG, 3132PR, CLEANER 3132PP and 3132NG (FPM)	Foil bag	40 00903 40021 7
5004L	for FLEXI and FLEXI PLUS	Self service package	40 00903 50041 2
6001	for INOX, FERROX, FERRUM, FERRUM PLUS and RESISTENT	Self service package	40 00903 60010 5
6001L	for FERROX PLUS, INOX PLUS and RESISTENT PLUS	Self service package	40 00903 60012 9
6002	for all plastic compression sprayers (NBR)	Self service package	40 00903 60020 4
6002E	for CLEANER (EPDM)	Self service package	40 00903 60024 2
6002L	for plastic compression sprayers (FPM) PROFI PLUS, CLEANER, FIX PLUS and PRIMER	Self service package	40 00903 60021 1
7004	for STABILUS	Self service package	40 00903 70040 9
7007	for RS125 and RS185	Self service package	40 00903 70070 6
No.	Parts and nozzle boxes	Packaging	EAN code
3942N	Nozzle box. Contains all MESTO standard nozzles and the most frequently required special nozzles and seals.	loose	40 00903 39421 9
3941V	First aid kit. Contains the most important nozzles, seals and O-rings for the garden appliance program.	loose	40 00903 39411 0
3941VL	First aid kit for the professional device program	loose	40 00903 39412 7

Carrying Straps				
No.	7121M	1100MT	7121N	1100MH
EAN code	40 00903 71211 2	40 00903 11002 4	40 00903 71212 9	40 00903 11001 7
Packaging	Foil bag	Foil bag	Foil bag	Foil bag
	for MAXIMA, PROFI, FERROX and INOX, with padding (1 pair)	for RS125, 50 mm, straight, with padding and carrying handle (1 pair)	for RS185, 70 mm, S-form, with padding and chest strap (1 pair)	Hip belt with lower back support for RS125 and RS185, with fastener
				

## Sprayer glossary

Tank		Plastic tank	Tank made of high-quality polyethylene. Especially resistant to acids and bases.
		Steel tank	Steel tank with anti-corrosive coating. Especially robust and durable. Not suitable for aggressive liquids.
		Stainless steel tank	Tank made of high-quality, stainless steel. Especially robust and durable.
Safety		Pressure gauges	Measuring device to record and indicate the physical pressure of a medium (liquid, gas) in the tank and the spray line.
		Safety valves	Safety valves protect pressurized tanks against unauthorized excessive pressure which may damage the device. If the pressure is exceeded, the safety valves discharge gases into the atmosphere.
		DOSICONTROL	Special shut-off valve for regulating the pressure on the nozzle. It allows the spray medium to be applied evenly and efficiently.
Materials		NBR = Nitrile-rubber	NBR is a synthetic rubber. Its high elasticity makes it suitable for the production of seals and O-rings. It is highly resistant to oils, greases and hydrocarbons and has a favorable aging behavior as well as low wear.
		FPM = Fluoro-rubber	FPM is a synthetic rubber. Its high elasticity makes it suitable for the production of seals and O-rings. It is highly resistant to hydrocarbons, oils, strong acids, aromatic and chlorinated solvents and has a high temperature resistance.
		EPDM = Ethylen-Propylen-Dien-rubber	EPDM is a terpolymer elastomer (rubber). Its high elasticity makes it suitable for the production of seals and O-rings. It is resistant to solvents and is considerably resistant to bases. In general it is not very resistant to hydrocarbon-based oils and to fuels.
		PA = Polyamides	Polyamides are polymers which are characterized by their high strength, rigidity and durability. They are highly resistant to chemicals and are easy to process.
		PE = Polyethylene	Polyethylenes are polymers which are characterized by their high durability and breaking elongation. They are resistant to almost all polar solvents, acids, bases, water, alcohols, oils. PE-HD also gasoline.
		PP = Polypropylene	Polypropylenes are polymers which are characterized by a higher rigidity, hardness and strength than polyethylene but lower than polyamide. They are resistant to almost all organic solvents and greases as well as to most acids and bases.
Standards		CE mark (Conformité Européenne)	CE means "complies with EU Directives" This label identifies certain products associated with product safety according to EU law. The manufacturer thus confirms that the product complies with the applicable European Directives.
		TÜV-GS Intertek-GS	The GS mark certifies that a product complies with the requirements of the Equipment and Product Safety Act (GPSG) specified e.g. in safety regulations of the employers' liability insurance associations, DIN and EN standards or other generally acknowledged rules of technology.

### Requirements for the use of sprayers

#### Maximum working temperature (liquid temperature):

Plastic devices 30 °C or 40 °C, Devices with metal tank 50 °C

#### not suitable for flammable liquids

#### Viscosity of liquids:

Up to approximately 1.5 times more viscous than water. Where larger drops and a reduced spray angle of the nozzle are acceptable, the viscosity may also be considerably higher.



Viscosity testing device

### Safety information

Use of inappropriate substances may result in serious injuries and environmental damage. Always heed the information in the section "Usage" in the operating manual as well as the information provided by the supplier of the substance to be sprayed.



### Store Shelf and Display Pallets as Eye-Catchers



Benefit from our many years of experience with assortment presentations, design, self-service packages with spare parts, individual assembly suggestions or eye-catching displays. We can easily create "fast-seller" displays that ensure a high stock turnover because the customer can find the correct product at a glance.

The attractive MESTO brandname packaging also provides detailed information on the products and their execution.



Attractive labels for shelves to promote sales



Scanner strips for shelves

### Information for Dealers and Users

We gladly provide brochures with further information on our products in the languages you require.



Target group brochures construction, cleaning industry or garden

### Well informed – just one click will take you one step further: [www.mesto.de](http://www.mesto.de)

All news regarding the MESTO world can be found on our extensive website – upcoming trade fair dates, latest product information... Practical tips and FAQs support customers while using our sprayers. Local dealers are listed in a geographical database. Whatever the requirement, we offer maximum service – even on the internet.

The detailed product pages:  
You don't have a catalog on hand?  
Here you can find more detailed information on MESTO sprayers.

- 1 Description and execution of products
- 2 Operating instruction can be downloaded
- 3 Spare parts list can be downloaded
- 4 Technical drawing



The MESTO Download Centre:  
Set your personal access code and, with a few clicks, download the illustrations onto your computer.



**NEW!**





## Which sprayer is the right one? – Criteria to help you choose:

### Garden size:

To avoid the need of frequent refilling, you should choose the right device size. If in doubt, always select the larger device as this can be used for spraying smaller quantities without difficulty.

### Reference values for required spray mixture:

Ground cultures	0.2 - 0.3 l for 10 sqm
Low shrubs (e.g. roses)	0.8 - 1.3 l for 10 sqm
Espalier trees, spindle shrubs	0.5 - 1.0 l per piece
Larger bush trees	2.0 l per piece
Older, free-standing trees	3.0 - 5.0 l per piece

### Plant height:

Using extension wands, also higher plants can be sprayed easily. The longer the extension wand, the higher the pressure of the device should be.

### Reference value for range:

Compression sprayers FERROX, INOX	6 m
Compression sprayers PROFI, MAXIMA	5 m
PICO, VERIS	4 m
FLORI COMPACT, FLORI	3 m
Backpack sprayers RS125, RS185, STABILUS	3 m
Trigger sprayers, compression sprayers	1.5 m

### Frequency of use:

The more often you use the device, the better its quality should be. When choosing your device, please do not hesitate to contact one of our agents or a MESTO customer consultant.

### Choose the right sprayer for your area of application:

**Trigger sprayers, compression sprayers & garden sprayers of 0.5 - 1.5 l:**  
Light and handy for smaller home gardens with surface area of 10 - 40 sqm and for balcony plants not higher than 1.5 m.

### Compression sprayers of 3.0 - 10.0 l (3 bar / 44 psi):

For smaller to medium-sized home gardens with an area of 10 – 200 sqm. Well suitable for the use of extension wands.

### Compression sprayers of 5.0 - 10.0 l (6 bar):

For large home gardens, for the treatment of high trees and shrubs. Particularly suitable when using extension wands.

### Backpack sprayers of 12.0 - 18.0 l:

are particularly suitable for surface area and strip treatment in low to semi-high cultures thanks to even spraying pressure and the large liquid reservoir.

Area of use	Trigger sprayers 3110, 3111, 3111 R	UNIVERSAL 3130K, 3130G	BUGSI 3132K, 3132GR	FLEXI 3131	FLORI COMPACT 3230R	FLORI 3232R	HERBI 3232U	PICO 3232	VERIS 3237	MAXIMA 3238	PROFI 3275	PROFI 3270	FERROX 3565, INOX 3595	FERROX 3585G, INOX 3615G	RS125	RS185	STABILUS 3541G
Balcony plants	•	•	•	•													
Home garden with low cultures					•	•	•	•	•	•	•	•	•	•	•	•	•
Home garden with shrubs					•	•	•	•	•	•	•	•	•	•	•	•	•
Espalier trees										•	•	•	•	•			
Higher trees													•	•			
Low cultures											•	•	•	•	•	•	•
Culture care in forestry											•	•	•	•	•	•	•
Weed control					•	•	•	•	•	•	•	•	•	•	•	•	•

	Order Number	BUGSI 3132K, 3132GR	FLEXI 3131	FLORI COMPACT 3230R	FLORI 3232R	HERBI 3232U	PICO 3232	VERIS 3237	MAXIMA 3238	PROFI 3275	PROFI 3270	FERROX 3565, INOX 3595	FERROX 3585G, INOX 3615G	RS125	RS185	STABILUS 3541G	
	2302			•	•	•	•	•	•	•	•	•	•	•	•	•	Nozzle set 1.1/1.5/1.85 mm bore
Seal kit	4002	•															
	5004L		•														
	6001											•	•				
	6002				•	•	•	•	•	•	•						
	7004																•
7007													•	•			
Shut-off valve	6307LG																•
	2348											•					
	1388G												•				
	2311								•	•	•						
	6307LM												•	•			
2310				•	•	•	•	•									
Discharge equipment	2315			•	•												
	2315V							•									
	6302M								•								
	6302N						•	•									
	6302P									•	•						
	6321NL											•					
	6321ND												•				
	7307G																•
7310													•	•			
Airpump	6224MN			•	•	•	•	•	•								Plastic
	6224N									•	•						Plastic
	6233W											•	•				Brass
Spray wand	3654AK							•									Plastic extendable 52-90 cm with nozzle
	3657							•	•	•	•						Brass 50 cm with nozzle
	3658											•	•	•	•	•	Brass 50 cm with nozzle
	3654M			•	•	•											Plastic 48 cm with nozzle
Extension wand	3653		•														Plastic 25 cm flexible
	3660											•	•	•	•	•	Brass 50 cm
	3664NL				•	•	•		•								Plastic 45 cm
	3665							•	•	•	•						Brass 50 cm
	3670							•	•	•	•	•	•	•	•	•	Brass 70 cm
	3680							•	•	•	•	•	•	•	•	•	Brass 100 cm
	3690							•	•	•	•	•	•	•	•	•	Brass 80 cm - 150 cm
	3701											•	•				Brass 107 cm - 200 cm
3701G									•	•	•	•				Glass fiber plastic 130 cm - 250 cm	
	6701											•	•				Pressure gauge with manometer
	6703K											•	•				Safety valve
	6707									•	•						Piston pressure gauge

